

Sheffield Neighbourhood Health & Well-Being Profiles 2012 for Bradway Neighbourhood



Map Shows Neighbourhood & Community

This profile gives a snapshot overview of key Health and Well Being indicators in a chosen Neighbourhood, with comparisons to Sheffield.

It is complemented by other tools available on the web link below:

- **Neighbourhood Trend Indicator Tool** (allows analysis of change over time and correlations between indicators)
- **Neighbourhood Health and Well Being Atlases**; the Instant Atlases are available online and provide the facility to instantly manipulate, analyse, chart and map data.

Profiles are also available for a variety of other geographical and administrative areas within Sheffield (Wards, Community Assemblies and Practice Localities).

This profile may be used for non-commercial purposes provided the source is acknowledged:

Source: Sheffield Neighbourhood Health & Well-Being Profiles 2012, Public Health Intelligence Team, SCC. v1.1: 15th May 2013

Access this health profile together with profiles for other geographical areas, supporting tools and documentation online at:


<http://www.sheffield.gov.uk/profile>

Bradway Neighbourhood: Some Key Observations in relation to the Sheffield average

Key observations with particular reference to indicators statistically significantly different to Sheffield.

- ▶ Bradway neighbourhood is located in the south west of Sheffield, and it's population mainly resides in the Dore and Totley Ward (94.4%), across South West and South Community Assembly areas.
- ▶ The population is dominated by persons aged over 45 years (55.6%) compared to 38.8% in Sheffield. There is a much smaller proportion of persons aged 15-44 years (29.6%) compared to Sheffield overall (44.7%). 9.4% of school children come from BME groups compared to 30.5% for Sheffield as a whole.
- ▶ Bradway is less deprived than average in Sheffield. Crime level is one of the lowest in Sheffield. Educational attendance is significantly better than average, and attainment is significantly higher than average for YR (age 4-5) pupils and GCSE pupils.
- ▶ Bradway has higher rates for Life Expectancy and All Cause Mortality than Sheffield, significantly so for All Age All Cause Mortality. The A&E attendance and Emergency Admission rates for those aged under 5 are relatively high in Bradway, but the age 65+ and all ages combined rates, and also the aged under 20 rates for A&E attendances are significantly lower than the Sheffield average. Elective admissions for the under 20 age group are significantly lower than Sheffield, but are significantly higher for the 65+ age group.
- ▶ Admissions to hospital related to alcohol are significantly lower in than Sheffield, as are smoking prevalence and smoking attributable mortality rates, though smoking quits per estimated smokers is relatively worse than the Sheffield average. 5 a day fruit & vegetable consumption and 5 times per week physical exercise rates are significantly higher than Sheffield, and the prevalence of overweight & obesity in YR children (age 4-5) is significantly lower than Sheffield.
- ▶ The rate of breastfeeding at delivery is significantly higher in Bradway than the Sheffield average, and the rate of under 18 conceptions is significantly low. The rate of emergency admissions for injuries in those aged under 5 is high, but for the 5-17 age group it is low. Hospital admissions for Cancer are significantly higher than Sheffield. Admissions and mortality rates for coronary heart disease (CHD) are significantly better than the Sheffield averages.
- ▶ There are significantly fewer referrals to mental health specialties in Bradway compared to Sheffield overall, and lower prevalence of common mental disorders, mixed anxiety and depression and generalised anxiety disorder.


Bradway Neighbourhood (99) Street Map



Contains Ordnance Survey data © Crown copyright and database right 2010

Population Profile for Bradway Neighbourhood


Registered Population (April 2012) for Bradway Neighbourhood



Age Band	Males		Females		Persons	
	Number	%	Number	%	Number	%
00-04	82	2.1	91	2.4	173	4.5
05-14	204	5.3	192	5.0	396	10.2
15-24	187	4.8	184	4.8	371	9.6
25-44	392	10.1	382	9.9	774	20.0
45-64	568	14.7	608	15.7	1,176	30.4
65-74	250	6.5	241	6.2	491	12.7
75-84	161	4.2	211	5.5	372	9.6
85+	45	1.2	66	1.7	111	2.9
All Ages	1,889	48.9	1,975	51.1	3,864	100.0

Data Source: PHR Snapshot April 2012, PH Births

Registered Population (April 2012) for Sheffield



Age Band	Males		Females		Persons	
	Number	%	Number	%	Number	%
00-04	17,300	3.0	16,386	2.9	33,686	5.9
05-14	30,858	5.4	29,426	5.2	60,284	10.6
15-24	48,298	8.5	47,659	8.4	95,957	16.8
25-44	83,276	14.6	75,584	13.3	158,860	27.9
45-64	67,503	11.8	64,233	11.3	131,736	23.1
65-74	22,514	4.0	24,457	4.3	46,971	8.2
75-84	12,973	2.3	16,884	3.0	29,857	5.2
85+	4,068	0.7	8,238	1.4	12,306	2.2
All Ages	286,790	50.3	282,867	49.7	569,657	100.0

Data Source: PHR Snapshot April 2012, PH Births

Guide to Interpretation

A **simple guide** to chart interpretation can be found at the top of Page 4; there is also a more detailed **technical guide** to interpretation available on Page 7.

Left side of the pages: indicator names with neighbourhood and Sheffield figures (number, rate and 95% confidence intervals where available)

Right side of the pages: neighbourhood and Sheffield figures displayed as a chart


Simple **metadata** detailing indicator time periods and units can be found at the bottom of each section. A comprehensive list of metadata (including definitions, time periods, units, sources and additional notes) can be found at the end of the profile on Pages 8, 9 and 10.

Ethnicity of School Children aged 5 to 16 years for Bradway Neighbourhood

School Population (5-16 years) by Ethnic Group 2010/11	Bradway Neighbourhood		Sheffield	
	Number	% of known	Number	% of known
excluding unknown ethnicity:				
White & Mixed White	405	92.9%	52,250	76.0%
Mixed	8	1.8%	4,013	5.8%
Asian/Asian British	14	3.2%	7,080	10.3%
Black/Black British	5	1.1%	3,285	4.8%
Chinese/Other	4	0.9%	2,122	3.1%
Total with known ethnicity	435	100%	66,429	100%
BME (all other than White-British)	41	9%	20,974	30.5%
	Number	% of total	Number	% of total
Unknown Ethnicity	0	0.0%	341	0.5%
Total (including unknown ethnicity)	436		69,091	

Data Source: Sheffield LA Children Young People & Families Dept. Includes Reception to Year 11 children (age 5 to 16) in Sheffield LA maintained schools and academies, January 2012. BME (Black and Minority Ethnic Groups) includes all ethnic groups other than White-British.

Distribution of School Population (5-16 yrs) by Ethnicity 2010/11



Population Indicators for Bradway Neighbourhood

Population	Bradway Neighbourhood		Sheffield		KEY:	Nhood Range	Sheffield value	Nhood Range Highest
	number	rate (95% CI)	number	rate (95% CI)				
1. % Population (Age <5)	173	4.5	33,687	5.8	1.0	0.0 - 10.7	5.8	10.7
2. % Population (Age <20)	777	20.1	132,368	22.9	8.1	0.0 - 35.4	22.9	35.4
3. % Population (Age 75+)	483	12.5	42,163	7.8	0.3	0.0 - 15.0	7.8	15.0
4. Ethnicity: School Children from BME groups (Age 5-16)	41	9.4	20,974	30.5	3.2	0.0 - 95.7	30.5	95.7


PERIODS: (1-3) April 2012, (4) January 2012. UNITS: (1-3) number and % of total population, (4) % of school children. See metadata for full indicator definitions and data sources.

Population Distributions for Bradway Neighbourhood (April 2012)

By Practice & Locality

Practice Code	Practice Name	Locality Code	Locality Name	% of Nhood Population Registered with Practice
C88024	Avenue Medical Practice	PBC09	Hallam & South (HASC)	33.9%
C88015	The Meadowhead Group Practice	PBC09	Hallam & South (HASC)	21.3%
C88037	Baslow Road Surgery	PBC02	Central	20.8%
C88068	Totley Rise Medical Centre	PBC09	Hallam & South (HASC)	12.2%
C88016	Carterknowle and Dore Medical Practice	PBC09	Hallam & South (HASC)	4.0%
C88041	Woodseats Medical Centre	PBC02	Central	2.0%
C88653	Greenhill Health Centre	PBC09	Hallam & South (HASC)	1.4%
C88046	Abbey Lane Surgery	PBC02	Central	0.8%
C88026	The Sloan Practice	PBC02	Central	0.8%
C88052	The Hollies Medical Centre	PBC09	Hallam & South (HASC)	0.6%
C88069	Clover Group Practice	PBC02	Central	0.4%
XXX	Registered Outside of Sheffield	NA	NA	0.4%
C88038	The Mathews Practice	PBC02	Central	0.3%
C88032	Charnock Dale Road Surgery	PBC09	Hallam & South (HASC)	0.2%
Other	Other	Other	Other	1.0%
-	-	-	-	-
-	-	-	-	-
Percentage of Neighbourhood Population Accounted for above				100%

Distribution of Bradway Neighbourhood Population by Locality



- Unknown Locality
- Registered Outside of Sheffield
- North
- HASC
- West
- Central

Proportion of Neighbourhood Population Registered with each Practice and Locality (as at April 2012)


Data Source: Population Health Register (PHR)

Notes: This table aims to cover the entire Neighbourhood population but is limited to the top 17 practices. Practices containing less than 1% of the Neighbourhood population are grouped into the 'Other' category. Practice & Locality Configuration as at April 2012.

By Healthy Community Programme Area

HCPA Code	Healthy Community Programme Area Name	% of Neighbourhood Population Resident in HCPA	% of HCPA Population Resident in Neighbourhood
(blank)	Not within a HCPA	100.0%	1.1%
Other	Other Areas	0.0%	-
-	-	-	-
-	-	-	-
-	-	-	-
Percentage of Neighbourhood Population Accounted for		100%	

Distribution of Bradway Neighbourhood Population by HCPA



Proportion of Neighbourhood Population Resident in each Healthy Community Programme Area as at April 2012


Data Source: Population Health Register (PHR)

Notes: This table aims to cover the entire Neighbourhood population but is limited to the top 5 HCPAs. If the Neighbourhood population is distributed across more than 5 HCPAs an 'Other Areas' grouping is used.

By Ward

Ward Code	Ward Name	% of Neighbourhood Population Resident in Ward	% of Ward Population Resident in Neighbourhood
GR	Dore and Totley	94.4%	21.4%
GH	Beauchief and Greenhill	5.6%	1.2%
Other	Other Areas	0.0%	-
-	-	-	-
-	-	-	-
Percentage of Neighbourhood Population Accounted for		100%	

Distribution of Bradway Neighbourhood Population by Ward



Proportion of Neighbourhood Population Resident in each ward as at April 2012


Data Source: Population Health Register (PHR)

Notes: This table aims to cover the entire Neighbourhood population but is limited to the top 5 Wards. If the Neighbourhood population is distributed across more than 5 Wards an 'Other Areas' grouping is used.

By Children's Centre

Children's Centre Code	Children's Centre Name	% of Nhood Population Resident in Children's Centre	% of Children's Centre Population Resident in Neighbourhood
22	Millhouses/Dore	98.4%	13.5%
20	Lowedges/Batemoor/Jordanthorpe/Greenhill	1.6%	0.3%
Other	Other Areas	0.0%	-
-	-	-	-
-	-	-	-
Percentage of Neighbourhood Population Accounted for		100%	

Distribution of Bradway Neighbourhood Population by Children's Centre




Proportion of Neighbourhood Population Resident in each Children's Centre as at April 2012

Data Source: Population Health Register (PHR)

Notes: This table aims to cover the entire Neighbourhood population but is limited to the top 5 Children's Centres. If the Neighbourhood population is distributed across more than 5 Children's Centres an 'Other Areas' grouping is used.

Guide to Chart Interpretation



Statistical Significance: Calculated using 95% Confidence Intervals

For some indicators (for example Smoking Prevalence) a high value is not the same as a better value; the charts already take this into account in the way they are plotted.

For some indicators (for example Live Birth Rate) statistical significance cannot be calculated; in this case, a point to the right end of the grey bar simply denotes a higher value, and to the left denotes a lower value.

Deprivation Indicators for Bradway Neighbourhood

Deprivation	Bradway Neighbourhood		Sheffield		Nhood Range Worst	KEY: Nhood range Sheffield value	Nhood Range Best
	number	rate (95% CI)	number	rate (95% CI)			
5. Index of Multiple Deprivation 2010: Overall Score	-	7.3	-	27.1	66.0		2.6
6. IMD 2010: Income Domain	-	0.1	-	Not Available	0.5		0.0
7. IMD 2010: Employment Domain	-	0.1	-	Not Available	0.3		0.0
8. IMD 2010: Health & Disability Domain	-	-0.5	-	Not Available	1.6		-0.9
9. IMD 2010: Education, Skills & Training Domain	-	4.2	-	Not Available	90.1		0.5
10. IMD 2010: Barriers to Housing & Services Domain	-	21.3	-	Not Available	40.2		14.2
11. IMD 2010: Crime Domain	-	-0.8	-	Not Available	1.9		-1.1
12. IMD 2010: Living Environment Domain	-	6.9	-	Not Available	52.4		3.2
13. Child Well-being Index 2009: Overall Score	-	85.4	-	223.0	464.1		56.0

PERIODS: (5-12) 2010 (May 2012 methodology), (13) 2009. UNITS: (5-12) IMD Score (13) CWBI Score. See metadata for full indicator definitions and data sources.

Wider Determinants Indicators for Bradway Neighbourhood

Wider Determinants	Bradway Neighbourhood		Sheffield		Nhood Range Worst	KEY: Nhood range Sheffield value	Nhood Range Best
	number	rate (95% CI)	number	rate (95% CI)			
14. Crime: Total Incidence	36	9.2 (6.7, 12.8)	22,094	39.2 (38.7, 39.7)	126.7		7.1
15. Education: Pupils in Year R Attaining 78+ Points including 6+ in CLL & PSE	37	88.1 (75.0, 94.8)	3,391	58.5 (57.2, 59.7)	35.1		92.0
16. Education: Pupils in Year 6 Attaining Level 4+ in English and Maths	30	85.7 (70.6, 93.7)	3,777	70.9 (69.7, 72.1)	45.7		100.0
17. Education: Pupils Attaining 5+ GCSEs at Grade A*-C including English & Maths	40	85.1 (72.3, 92.6)	2,683	49.3 (48.0, 50.6)	15.9		85.5
18. Education: Year 11 Pupils Staying in Learning	46	97.9 (88.9, 99.6)	5,239	92.6 (91.9, 93.2)	77.3		100.0
19. Education: Primary School Attendance	70,847	97.0 (96.9, 97.1)	10,570,444	94.4 (94.4, 94.4)	89.6		97.1
20. Education: Secondary School Attendance	55,265	96.6 (96.5, 96.8)	7,434,014	92.7 (92.7, 92.7)	77.6		97.0

PERIODS: (14-17,19,20) 2010/11, (18) September 2011. UNITS: (14) rate per 1,000 population, (15-18) % pupils, (19,20) % sessions attended. See metadata for full indicator definitions and data sources.

Life Expectancy and Mortality Indicators for Bradway Neighbourhood

Life Expectancy & Mortality	Bradway Neighbourhood		Sheffield		Nhood Range Worst	KEY: Nhood range Sheffield value	Nhood Range Best
	number	rate (95% CI)	number	rate (95% CI)			
21. Male Life Expectancy at Birth (All Ages)	-	81.9 (78.5, 85.4)	-	78.4 (78.2, 78.7)	71.2		89.8
22. Female Life Expectancy at Birth (All Ages)	-	85.3 (80.6, 90.0)	-	81.9 (81.9, 81.9)	74.8		91.1
23. All Cause Mortality (All Ages) - Persons	159	413.6 (340.5, 495.8)	24,677	575.6 (568.0, 583.3)	1,321.2		293.2
24. All Cause Mortality (All Ages) - Males	91	486.1 (377.5, 613.0)	11,638	671.0 (658.6, 683.6)	1,906.4		298.8
25. All Cause Mortality (All Ages) - Females	68	352.0 (257.6, 465.2)	13,039	495.8 (486.3, 505.5)	1,073.1		195.1
26. All Cause Mortality (Age <75) - Persons	52	222.1 (158.2, 300.6)	8,092	289.0 (282.6, 295.4)	635.5		134.3
27. All Cause Mortality (Age <75) - Males	27	226.3 (138.2, 343.7)	4,752	343.0 (333.2, 352.9)	765.4		122.7
28. All Cause Mortality (Age <75) - Females	25	214.7 (129.9, 329.1)	3,340	235.8 (227.7, 244.0)	496.9		94.8

PERIODS: (21-28) 2007-2011. UNITS: (21,22) years, (23-28) DASR per 100,000. See metadata for full indicator definitions and data sources. Sheffield Neighbourhood Health and Well-Being Profile 2012 © Public Health Intelligence team, SCC. v1.1, 15th May 2013

General Hospital Activity Indicators for Bradway Neighbourhood

Hospital Activity	Bradway Neighbourhood		Sheffield		Nhood Range Worst	KEY: Nhood range Sheffield value	Nhood Range Best
	number	rate (95% CI)	number	rate (95% CI)			
29. A&E Attendances (All Ages)	2,596	235.3 (225.2, 245.7)	529,396	317.7 (316.8, 318.5)	440.0		208.5
30. A&E Attendances (Age <5)	347	705.2 (632.7, 783.8)	76,817	776.6 (771.1, 782.1)	1,330.1		512.7
31. A&E Attendances (Age <20)	805	369.2 (343.6, 396.2)	177,243	460.8 (458.6, 462.9)	717.3		316.8
32. A&E Attendances (Age 65+)	735	238.7 (221.3, 257.2)	96,734	339.7 (337.4, 341.9)	614.7		223.1
33. Emergency Admissions (All Ages)	1,001	7118.4 (6592.9, 7669.0)	169,297	9036.6 (8991.4, 9081.9)	14,240.9		5,812.2
34. Emergency Admissions (Age <5)	105	22179.5 (18121.9, 26871.2)	18,534	18665.0 (18397.2, 18935.7)	25,374.6		12,526.5
35. Emergency Admissions (Age <20)	157	8062.2 (6823.2, 9457.2)	31,678	8329.6 (8237.7, 8422.3)	12,349.8		5,444.9
36. Emergency Admissions (Age 65+)	524	16839.2 (15388.2, 18387.3)	67,648	22900.1 (22720.8, 23080.5)	38,988.7		14,033.3
37. Elective Admissions (All Ages)	2,158	13490.9 (12850.2, 14152.2)	250,894	14064.6 (14008.1, 14121.3)	17,649.3		11,327.1
38. Elective Admissions (Age <5)	29	5848.5 (3909.7, 8409.0)	7,782	7887.9 (7713.6, 8065.1)	29,267.0		2,677.7
39. Elective Admissions (Age <20)	104	4429.7 (3602.3, 5387.1)	30,607	7838.8 (7750.7, 7927.7)	17,128.9		3,336.4
40. Elective Admissions (Age 65+)	1,123	39706.6 (37363.6, 42155.3)	83,611	32684.5 (32466.7, 32923.5)	39,706.6		21,644.2

PERIODS: (29-40) 2009/10 - 2011/12. UNITS: (29-40) DASR per 100,000. See metadata for full indicator definitions and data sources.

Lifestyle Indicators for Bradway Neighbourhood

Lifestyle	Bradway Neighbourhood		Sheffield		Nhood Range Worst	KEY: Nhood range Sheffield value	Nhood Range Best
	number	rate (95% CI)	number	rate (95% CI)			
41. Alcohol: Abstainers (Age 16+)	486	14.9 (10.1, 20.2)	66,161	14.2 (9.6, 19.3)	12.9		15.1
42. Alcohol: High Risk Drinkers (Age 16+)	338	12.3 (4.5, 30.7)	51,048	12.8 (4.7, 31.9)	15.2		11.9
43. Alcohol: Binge Drinkers (Age 16+)	823	25.2 (21.6, 29.2)	140,413	30.1 (25.8, 34.9)	41.1		24.2
44. Alcohol: Admissions for Alcohol-Specific Conditions (All Ages)	44	308.0 (221.3, 416.6)	8,527	499.9 (489.3, 510.8)	2,298.1		51.4
45. Alcohol: Admissions for Alcohol-Attributable Conditions (All Ages)	247	1331.5 (1154.1, 1522.7)	31,370	1639.7 (1621.0, 1658.5)	3,619.6		811.5
46. Sexual Health: Positive Chlamydia Tests (Age 15-24)	6	1554.4 (570.4, 3383.3)	1,801	1906.7 (1819.7, 1996.8)	4,166.7		579.4
47. Smoking Prevalence (Age 18+)	378	11.8 (10.9, 12.8)	97,099	21.5 (19.8, 23.3)	37.3		10.9
48. Smoking Quitters at 4 weeks	-	Suppressed	3,775	56.5 (54.7, 58.3)	17.9		80.0
49. Smoking Quits per Estimated Number of Smokers	8	2.1 (0.9, 4.2)	3,574	3.7 (3.6, 3.8)	0.0		7.7
50. Smoking: Mothers recorded as Smokers at Delivery	-	Suppressed	4,456	14.0 (13.6, 14.4)	34.3		1.9
51. Smoking Attributable Mortality (Age 35+)	26	117.9 (73.0, 173.5)	4,754	239.6 (232.5, 246.9)	534.7		81.7
52. Weight: Modelled % Adults with BMI 30+ (Obese or Morbidly Obese) (Age 18+)	776	24.5 (23.0, 26.0)	113,629	24.6 (24.6, 24.6)	29.8		14.8
53. Weight: Mothers Delivering with BMI 25+ at Booking (Overweight, Obese or Morbidly Obese)	36	48.6 (37.6, 59.8)	9,583	53.3 (52.6, 54.1)	64.2		35.7
54. Weight: Mothers Delivering with BMI 30+ at Booking (Obese or Morbidly Obese)	11	14.9 (8.5, 24.7)	3,981	22.2 (21.6, 22.8)	33.3		7.4
55. Weight: Children who are Obese - Year R (age 4/5)	-	Suppressed	1,539	9.5 (9.1, 10.0)	19.2		3.3
56. Weight: Children who are Obese - Year 6 (age 10/11)	15	14.2 (8.8, 22.0)	2,966	19.2 (18.6, 19.8)	32.9		5.7
57. Weight: Children who are Overweight or Obese - Year R (age 4/5)	13	12.6 (7.5, 20.4)	3,549	22.0 (21.4, 22.6)	35.6		9.6
58. Weight: Children who are Overweight or Obese - Year 6 (age 10/11)	27	25.5 (18.1, 34.5)	5,152	33.3 (32.6, 34.1)	44.0		17.9
59. Diet: Adult Fruit & Vegetable Consumption: More than 5 a day (Age 18+)	918	29.0 (27.4, 30.6)	113,448	24.5 (24.5, 24.5)	18.2		33.6
60. Physical Activity: % Adults exercising 5 times per week (Age 18+)	750	23.7 (22.2, 25.2)	98,007	21.6 (21.5, 21.8)	18.1		26.3

PERIODS: (41-43,47,49) 2010/11, (44,45) 2009/10 - 2011/12, (46,48) 2011/12, (50) 2007/08 - 2011/12, (51) 2007 - 2011, (52,59,60) April 2011, (53,54) 2009 - 2011, (55-58) 2008/09 - 2010/11. UNITS: (41,43) % adults (age 16+), (42,47,52,59,60) % adults (age 18+), (44,45,51) DASR per 100,000, (46) rate per 100,000 population aged 15-24, (48) % of clients with a quit date, (49) rate per 100 estimated smokers, (50,53,54) % of mothers, (55-58) % of school children in year. See metadata for full indicator definitions and data sources.

Children & Young People Indicators for Bradway Neighbourhood

Children & Young People	Bradway Neighbourhood		Sheffield		Nhood Range Worst	KEY: Nhood range Sheffield value	Nhood Range Best
	number	rate (95% CI)	number	rate (95% CI)			
61. Live Births	33	8.5 (5.9, 12.0)	6,798	12.0 (11.7, 12.3)	1.8		23.1
62. Low Birth Weight Live Births (<2500g)	12	12.8 (7.5, 21.0)	1,482	7.5 (7.1, 7.8)	15.5		3.0
63. Teenage Conceptions (Age <18)	5	13.9 (4.5, 32.3)	1,983	41.4 (39.6, 43.2)	108.8		7.3
64. Average Age of Mother at First Registerable Birth	-	30.3 (28.6, 32.0)	-	26.8 (26.7, 26.9)	22.8		33.8
65. Breastfeeding Prevalence at Delivery	24	96.0 (80.5, 99.3)	5,100	78.8 (77.8, 79.8)	55.7		100.0
66. Breastfeeding Prevalence at 6-8 weeks	21	61.8 (45.0, 76.1)	3,325	49.8 (48.6, 51.0)	22.0		87.2
67. Emergency Admissions for Injuries (Age <18)	21	97.4 (60.3, 148.8)	4,055	120.2 (116.5, 123.9)	174.5		54.5
68. Emergency Admissions for Injuries (Age <5)	10	198.8 (95.3, 365.6)	1,416	143.4 (136.0, 151.1)	228.7		67.1
69. Emergency Admissions for Injuries (Age 5-17)	11	66.5 (33.2, 119.0)	2,639	110.5 (106.4, 114.8)	175.9		45.4

PERIODS: (61) 2011, (62) 2009 - 2011, (63,64) 2007 - 2011, (65,66) 2011/12, (67-69) 2009/10 - 2011/12. UNITS: (61) rate per 1,000 population, (62) % of live births, (63) rate per 1,000 females aged 15-17, (64) years, (65)% of mothers, (66) % of babies, (67-69) crude rate per 10,000. See metadata for full indicator definitions and data sources.

Disease Group Indicators for Bradway Neighbourhood

Disease Groups	Bradway Neighbourhood		Sheffield		Nhood Range Worst	KEY: Nhood range Sheffield value	Nhood Range Best
	number	rate (95% CI)	number	rate (95% CI)			
70. Cancer: Admissions (All Ages)	625	3454.5 (3168.6, 3757.8)	46,479	2496.5 (2473.1, 2519.9)	4,445.0		1,354.0
71. Cancer: Mortality (Age <75)	28	102.2 (64.8, 151.8)	3,292	116.1 (112.1, 120.1)	209.7		49.5
72. Chronic Diseases: Elective Admissions (All Ages)	90	687.6 (537.0, 863.7)	11,839	688.7 (676.0, 701.5)	1,619.5		259.2
73. Chronic Diseases: Emergency Admissions (All Ages)	149	1067.3 (859.5, 1302.0)	28,631	1546.0 (1527.1, 1565.2)	2,995.3		678.2
74. Circulatory Diseases: Admissions (All Ages)	198	945.2 (807.3, 1098.5)	30,614	1488.9 (1471.6, 1506.5)	2,719.6		844.8
75. Circulatory Diseases: Mortality (Age <75)	8	34.5 (12.6, 71.7)	1,980	69.5 (66.5, 72.7)	171.0		24.4
76. CHD: Elective Admissions (All Ages)	41	217.4 (153.7, 297.8)	5,641	306.3 (298.2, 314.6)	574.7		70.7
77. CHD: Emergency Admissions (All Ages)	21	92.7 (56.0, 143.6)	5,154	241.1 (234.2, 248.1)	1,135.7		84.7
78. CHD: Mortality (Age <75)	5	16.5 (5.3, 38.4)	1,175	41.4 (39.0, 43.8)	108.3		16.2
79. Stroke: Admissions(All Ages)	21	78.3 (47.5, 121.1)	3,538	150.6 (145.4, 155.9)	300.6		58.8
80. Stroke: Mortality (Age <75)	-	Suppressed	373	12.9 (11.6, 14.3)	42.9		10.6
81. Diabetes: Admissions (All Ages)	-	Suppressed	1,519	83.2 (78.9, 87.6)	235.6		12.3
82. Hip Fractures: Emergency Admissions (Age 65+)	13	270.7 (140.4, 468.6)	1,688	299.5 (284.9, 314.7)	721.4		66.0
83. Respiratory: All Diseases Mortality (Age <75)	-	Suppressed	714	24.4 (22.6, 26.3)	106.2		10.3
84. Respiratory: Asthma Admissions (All Ages)	5	52.0 (12.3, 130.4)	1,689	105.6 (100.5, 110.9)	330.2		26.0
85. Respiratory: COPD Admissions (excl asthma; All Ages)	20	65.5 (39.2, 102.4)	4,158	190.3 (184.3, 196.4)	588.5		26.1
86. Respiratory: COPD Mortality (excl asthma; Age <75)	-	Suppressed	396	13.4 (12.1, 14.8)	84.5		9.2


PERIODS: (70,72-74,76,77,79,81,82,84,85) 2009/10 - 2011/12, (71,75,78,80,83,86) 2007-2011. UNITS: (70-86) DASR per 100,000. See metadata for full indicator definitions and data sources.

Mental Health Indicators for Bradway Neighbourhood

Mental Health	Bradway Neighbourhood		Sheffield		Nhood Range Worst	KEY: Nhood range Sheffield value	Nhood Range Best
	number	rate (95% CI)	number	rate (95% CI)			
87. Mental Health: Prevalence Estimates: Any Common Mental Disorder (Age 16+)	529	16.2 (14.9, 17.5)	94,450	20.3 (20.1, 20.4)	26.2		15.9
88. Mental Health: Prevalence Estimates: Mixed Anxiety and Depression (Age 16+)	297	9.1 (8.1, 10.1)	52,920	11.3 (11.3, 11.4)	14.7		8.9
89. Mental Health: Prevalence Estimates: Generalised Anxiety Disorder (Age 16+)	147	4.5 (3.8, 5.3)	25,065	5.4 (5.3, 5.4)	6.9		4.0
90. Mental Health: Prevalence Estimates: Depressive Episode (Age 16+)	78	2.4 (1.9, 3.0)	13,592	2.9 (2.9, 3.0)	3.8		2.3
91. Mental Health: Prevalence of Psychotic Disorder in Adults (Age 16+)	11	0.3 (0.2, 0.6)	2,124	0.5 (0.4, 0.5)	0.6		0.3
92. Mental Health: Prevalence of Antisocial Personality Disorder in Adults (Age 18+)	11	0.4 (0.2, 0.6)	1,990	0.4 (0.4, 0.5)	0.6		0.3
93. Mental Health: Prevalence of Borderline Personality Disorder in Adults (Age 16+)	16	0.5 (0.3, 0.8)	2,622	0.6 (0.5, 0.6)	0.7		0.5
94. Mental Health: Referrals to Mental Health Specialities (Age 16-64)	73	1029.5 (794.9, 1308.8)	26,387	2345.8 (2317.4, 2374.5)	6,937.9		564.6
95. Mental Health: Referrals to Mental Health Specialities (Age 65+)	60	1937.9 (1467.1, 2508.7)	8,740	2856.9 (2794.8, 2919.9)	10,027.7		1,158.0
96. Mental Health: Admissions to Mental Health Specialities (Age 16+)	6	48.0 (16.4, 106.9)	2,873	208.4 (200.7, 216.2)	1,090.8		48.0
97. Mental Health: Admissions to Mental Health Specialities (Age 16-64)	-	Suppressed	2,396	213.8 (205.3, 222.6)	1,259.6		46.4
98. Mental Health: Admissions to Mental Health Specialities (Age 65+)	-	Suppressed	477	175.8 (159.8, 192.9)	839.2		119.5
99. Dementia Admissions (Age 65+)	-	Suppressed	471	81.6 (74.2, 89.6)	271.3		48.8
100. Intentional Self Harm: Emergency Admissions (All Ages)	-	Suppressed	2,392	139.1 (133.5, 144.9)	446.8		40.4

PERIODS: (87-93) 2011, (94-98,100) 2009/10 - 2011/12, (99) 2007/08 - 2011/12. UNITS: (87-91,93) % of adults aged 16+, (92) % of adults aged 18+, (94-100) DASR per 100,000. See metadata for full indicator definitions and data sources.

How to Interpret the Health Profile Indicator Summaries



On the chart the Sheffield value is marked by a **red line**. The **grey bar** illustrates how the indicator values vary across all neighbourhoods in Sheffield; this provides context for the Sheffield red line and neighbourhood point.

The neighbourhood value is shown as a point:

- If the point is to the right end of the grey bar it denotes a better (good) value; to the left end of the grey denotes a worse (bad) value.
- It is important to note that for some indicators (for example Smoking Prevalence) a high value is not the same as a better value; the charts already take this into account in the way they are plotted.
- For some indicators (for example Live Birth Rate) statistical significance cannot be calculated; in this case, a point to the right end of the grey bar simply denotes a higher value, and to the left denotes a lower value.

Statistical significance:

- If it cannot be calculated for a particular indicator the neighbourhood point will be **WHITE**.
- If the neighbourhood value is not statistically different to the Sheffield value the point is **YELLOW**.
- If the neighbourhood value is statistically better than the Sheffield value the point is **GREEN**.
- If the neighbourhood value is statistically worse than the Sheffield value the point is **RED**.
- The shape of the neighbourhood point will be a circle, square or diamond: this is to aid interpretation when colour is unavailable (e.g. black and white printing).

Metadata and Supporting Information

NOTE: The rules for assigning ICD10 codes to the underlying cause of death have recently changed from January 2011. This may have had an effect on the number of deaths for some causes for that year. However, most of these indicators are shown for time periods over several years, so will this will have had little impact on the data.

Domain	Profile Indicator Reference	Metadata
Population	1	% Population (Age <5) (Apr 2012) expressed as a % of Neighbourhood Population. SOURCE: Public Health Births, Population Health Register. Sheffield Residents.
	2	% Population (Age <20) (Apr 2012) expressed as a % of Neighbourhood Population. SOURCE: Public Health Births, Population Health Register. Sheffield Residents.
	3	% Population (Age 75+) (Apr 2012) expressed as a % of Neighbourhood Population. SOURCE: Public Health Births, Population Health Register. Sheffield Residents.
	4	Ethnicity: School Children from BME groups (Age 5-16) (January 2012) expressed as a % of school children age 5 to 16 with known ethnicity. SOURCE: Sheffield LA Children Young People & Families Dept. Sheffield LA maintained schools and academies.
Deprivation	5	Index of Multiple Deprivation 2010: Overall Score (2010) expressed as a IMD Overall Score. SOURCE: Department for Communities and Local Government, Indices of Deprivation, Population Health Register April 2011 Snapshot. A higher score indicates higher deprivation. Attributed from published LSOA level figures. May 2012 calculation.
	6	IMD 2010: Income Domain (2010) expressed as a IMD Domain Score. SOURCE: Department for Communities and Local Government, Indices of Deprivation, Population Health Register April 2011 Snapshot. A higher score indicates higher deprivation. Attributed from published LSOA level figures. May 2012 calculation.
	7	IMD 2010: Employment Domain (2010) expressed as a IMD Domain Score. SOURCE: Department for Communities and Local Government, Indices of Deprivation, Population Health Register April 2011 Snapshot. A higher score indicates higher deprivation. Attributed from published LSOA level figures. May 2012 calculation.
	8	IMD 2010: Health & Disability Domain (2010) expressed as a IMD Domain Score. SOURCE: Department for Communities and Local Government, Indices of Deprivation, Population Health Register April 2011 Snapshot. A higher score indicates higher deprivation. Attributed from published LSOA level figures. May 2012 calculation.
	9	IMD 2010: Education, Skills & Training Domain (2010) expressed as a IMD Domain Score. SOURCE: Department for Communities and Local Government, Indices of Deprivation, Population Health Register April 2011 Snapshot. A higher score indicates higher deprivation. Attributed from published LSOA level figures. May 2012 calculation.
	10	IMD 2010: Barriers to Housing & Services Domain (2010) expressed as a IMD Domain Score. SOURCE: Department for Communities and Local Government, Indices of Deprivation, Population Health Register April 2011 Snapshot. A higher score indicates higher deprivation. Attributed from published LSOA level figures. May 2012 calculation.
	11	IMD 2010: Crime Domain (2010) expressed as a IMD Domain Score. SOURCE: Department for Communities and Local Government, Indices of Deprivation, Population Health Register April 2011 Snapshot. A higher score indicates higher deprivation. Attributed from published LSOA level figures. May 2012 calculation.
	12	IMD 2010: Living Environment Domain (2010) expressed as a IMD Domain Score. SOURCE: Department for Communities and Local Government, Indices of Deprivation, Population Health Register April 2011 Snapshot. A higher score indicates higher deprivation. Attributed from published LSOA level figures. May 2012 calculation.
	13	Child Well-being Index 2009: Overall Score (2009) expressed as a CWBI Overall Score. SOURCE: Department for Communities and Local Government, Child Well-being Index, 2009, Population Health Register April 2011 Snapshot. A higher score indicates a worse level of child well-being. Attributed from published LSOA level figures. August 2012 calculation.
Wider Determinants	14	Crime: Total Incidence (2010/11) expressed as a rate per 1,000 population. SOURCE: British Crime Survey. Safer and Sustainable Communities Support Team, Community Services, Sheffield City Council. Total Crime: includes all types of crime.
	15	Education: Pupils in Year R Attaining 78+ Points including 6+ in CLL & PSE (2010/11) expressed as a % YR pupils. SOURCE: Performance & Analysis Service, Children Young People & Families Directorate, Sheffield City Council. Percentage of pupils in year R (age 4-5) scoring 78 points or more including six points of more in each of CLL and PSED. Attributed to neighbourhoods based on pupils' postcodes of residence.
	16	Education: Pupils in Year 6 Attaining Level 4+ in English and Maths (2010/11) expressed as a % Y6 pupils. SOURCE: Performance & Analysis Service, Children Young People & Families Directorate, Sheffield City Council. Percentage of pupils in year 6 (age 10-11) achieving level 4 and above in English & Maths. Attributed to neighbourhoods based on pupils' postcodes of residence.
	17	Education: Pupils Attaining 5+ GCSEs at Grade A*-C including English & Maths (2010/11) expressed as a % pupils. SOURCE: Performance & Analysis Service, Children Young People & Families Directorate, Sheffield City Council. Percentage of pupils attaining 5 or more GCSEs, including English and maths, at Grade C or above. Attributed to neighbourhoods based on pupils' postcodes of residence.
	18	Education: Year 11 Pupils Staying in Learning (Sept 2011) expressed as a % Y11 pupils. SOURCE: Performance & Analysis Service, Children Young People & Families Directorate, Sheffield City Council. Percentage of pupils in further education, employment with training or non-employed training in the September following the completion of year 11. Attributed to neighbourhoods based on pupils' postcodes of residence.
	19	Education: Primary School Attendance (2010/11) expressed as a % sessions attended. SOURCE: Performance & Analysis Service, Children Young People & Families Directorate, Sheffield City Council. Percentage of sessions attended during the first 5 half terms of the academic year. The school day is made up of 2 sessions: morning and afternoon. The last half term is excluded as this is skewed by children who do not need to attend during exam periods. Attributed to neighbourhoods based on pupils' postcodes of residence.
Life Expectancy & Mortality	20	Education: Secondary School Attendance (2010/11) expressed as a % sessions attended. SOURCE: Performance & Analysis Service, Children Young People & Families Directorate, Sheffield City Council. Percentage of sessions attended during the first 5 half terms of the academic year. The school day is made up of 2 sessions: morning and afternoon. The last half term is excluded as this is skewed by children who do not need to attend during exam periods. Attributed to neighbourhoods based on pupils' postcodes of residence.
	21	Male Life Expectancy at Birth (All Ages) (2007 - 2011) expressed as a Life Expectancy (years). SOURCE: Public Health Mortality files, Public Health Births Files, Population Health Register. Life expectancy is the average number of years a new-born baby would survive, were he or she to experience the particular area's age-specific mortality rates for that time period throughout his or her life. Where neighbourhood population is less than 5,000 data is not available as calculation is not robust.
	22	Female Life Expectancy at Birth (All Ages) (2007 - 2011) expressed as a Life Expectancy (years). SOURCE: Public Health Mortality files, Public Health Births Files, Population Health Register. Life expectancy is the average number of years a new-born baby would survive, were he or she to experience the particular area's age-specific mortality rates for that time period throughout his or her life. Where neighbourhood population is less than 5,000 data is not available as calculation is not robust.
	23	All Cause Mortality (All Ages) - Persons (2007 - 2011) expressed as a DASR per 100,000. SOURCE: PH Mortality, Public Health Births, Population Health Register. Based on year of death registration.
	24	All Cause Mortality (All Ages) - Males (2007 - 2011) expressed as a DASR per 100,000. SOURCE: PH Mortality, Public Health Births, Population Health Register. Based on year of death registration.
	25	All Cause Mortality (All Ages) - Females (2007 - 2011) expressed as a DASR per 100,000. SOURCE: PH Mortality, Public Health Births, Population Health Register. Based on year of death registration.
	26	All Cause Mortality (Age <75) - Persons (2007 - 2011) expressed as a DASR per 100,000. SOURCE: PH Mortality, Public Health Births, Population Health Register. Based on year of death registration.
General Hospital Activity	27	All Cause Mortality (Age <75) - Males (2007 - 2011) expressed as a DASR per 100,000. SOURCE: PH Mortality, Public Health Births, Population Health Register. Based on year of death registration.
	28	All Cause Mortality (Age <75) - Females (2007 - 2011) expressed as a DASR per 100,000. SOURCE: PH Mortality, Public Health Births, Population Health Register. Based on year of death registration.
	29	A&E Attendances (All Ages) (2009/10 - 2011/12) expressed as a DASR per 1,000. SOURCE: A&E minimum dataset, Public Health Births, Population Health Register. Includes Minor Injuries at RHH, NGH A&E and Childrens Hospital A&E. Excludes walk in centre.
	30	A&E Attendances (Age <5) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Emergency Admissions (excluding transfers). Includes admissions to external hospitals.
	31	A&E Attendances (Age <20) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Emergency Admissions (excluding transfers). Includes admissions to external hospitals.
	32	A&E Attendances (Age 65+) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Emergency Admissions (excluding transfers). Includes admissions to external hospitals.
	33	Emergency Admissions (All Ages) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Emergency Admissions (excluding transfers). Includes admissions to external hospitals.
	34	Emergency Admissions (Age <5) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Emergency Admissions (excluding transfers). Includes admissions to external hospitals.
	35	Emergency Admissions (Age <20) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Emergency Admissions (excluding transfers). Includes admissions to external hospitals.

Metadata and Supporting Information (continued)

Domain	Profile Indicator Reference	Metadata
General Hospital Activity	36	Emergency Admissions (Age 65+) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Emergency Admissions (excluding transfers). Includes admissions to external hospitals.
	37	Elective Admissions (All Ages) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Elective (planned) admissions. Includes admissions to external hospitals.
	38	Elective Admissions (Age <5) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Elective (planned) admissions. Includes admissions to external hospitals.
	39	Elective Admissions (Age <20) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Elective (planned) admissions. Includes admissions to external hospitals.
	40	Elective Admissions (Age 65+) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Elective (planned) admissions. Includes admissions to external hospitals.
Lifestyle	41	Alcohol: Abstainers (Age 16+) (2011) expressed as a % of adult population (age 16+). SOURCE: North West Public Health Observatory Local Alcohol Profiles for England 2011 adjusted for age and sex using General Household Survey 2008 data. estimated % of adult population aged 16+ reporting abstinence from drinking alcohol.
	42	Alcohol: High Risk Drinkers (Age 16+) (2011) expressed as a % of drinkers. SOURCE: North West Public Health Observatory Local Alcohol Profiles for England 2011 adjusted for age and sex using General Household Survey 2008 data. estimated % of drinking population aged 16+ consuming more than 50 units per week (males) or 35 units per week (females) - denominator excludes abstainers.
	43	Alcohol: Binge Drinkers (Age 16+) (2011) expressed as a % of adults (age 16+). SOURCE: North West Public Health Observatory Local Alcohol Profiles for England 2011 adjusted for age and sex using General Household Survey 2008 data. estimated % of adult population aged 16+ consuming more than double the recommended daily allowance of alcohol on one or more days per week (ie men > 8 units, women > 6 units).
	44	Alcohol: Admissions for Alcohol-Specific Conditions (All Ages) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: NWPPO AAFs Nov 2008, Inpatient CMDS, Public Health Births, Population Health Register. Admissions with an alcohol-specific condition recorded in the primary or any secondary position. Includes admissions to external hospitals.
	45	Alcohol: Admissions for Alcohol-Attributable Conditions (All Ages) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: NWPPO AAFs Nov 2008, Inpatient CMDS, Public Health Births, Population Health Register. Admissions with an alcohol-attributable condition recorded in the primary or any secondary position. Each admission is counted as a whole or a fraction of an based on the likelihood of an admission for that condition, age and sex being alcohol-related. Includes admissions to external hospitals.
	46	Sexual Health: Positive Chlamydia Tests (Age 15-24) (2011/12) expressed as a rate per 100,000 population aged 15-24. SOURCE: Chlamydia Screening Programme. Note that a low rate may indicate low take up of screening or low incidence of chlamydia.
	47	Smoking Prevalence (Age 18+) (2010/11) expressed as a % of adult population (age 18+). SOURCE: Integrated Household Survey 2010/11 adjusted for age and sex using Yorkshire and the Humber Integrated Household Survey 2010 data and Population Health register April 2010 snapshot, and adjusted for deprivation using Council benefits data and SHAIPS 2001 local survey data. Estimated % of adult population aged 18+ who currently smoke cigarettes.
	48	Smoking Quitters at 4 weeks (2011/12) expressed as a % of clients with a quit date set. SOURCE: Sheffield Stop Smoking Service Database. The neighbourhood in which the stop smoking service client lived, not necessarily where the service was delivered. Sheffield total excludes non Sheff residents.
	49	Smoking Quits per Estimated Number of Smokers (2010/11) expressed as a rate per 100 estimated smokers. SOURCE: Sheffield Stop Smoking Service Database, HSIE 2009, Population Health Register Populations 09/10, SHAIPS II, Sheffield City Council Benefits dataset 2008. The neighbourhood in which the stop smoking service client lived, not necessarily where the service was delivered. Sheffield total excludes non Sheff residents.
	50	Smoking: Mothers recorded as Smokers at Delivery (2007/08 - 2011/12) expressed as a Percent of Mothers. SOURCE: Protos. Includes mothers registered with a Sheffield GP and delivering a baby at 23 weeks or more gestation at a STHT hospital or at home.
	51	Smoking Attributable Mortality (Age 35+) (2007 - 2011) expressed as a DASR per 100,000. SOURCE: PH Mortality, Population Health Register, Public Health Births, NHS Information Centre Statistics on Smoking 2010, Health Survey for England 2009. This indicator attributes a fraction of deaths to smoking based on the relative risk (by cause, age and gender) of a death being smoking related and the likelihood that the deceased was a smoker or ex-smoker. Based on year of death registration.
	52	Weight: Modelled % Adults with BMI 30+ (Obese or Morbidly Obese) (Age 18+) (April 2011) expressed as a % Adults. SOURCE: Modelled from Health Survey for England - general health Mosaic data, BMI over 30, using Sheffield April 2011 neighbourhood populations. Adults with BMI 30+ are Obese or Morbidly Obese.
	53	Weight: Mothers Delivering with BMI 25+ at Booking (Overweight, Obese or Morbidly Obese) (2009 - 2011) expressed as a Percent of Mothers. SOURCE: Protos. Mothers delivering in the period who had a BMI of 25+ at booking expressed as a percentage of all mothers delivering in the period. Includes Sheffield resident mothers registered with a Sheffield GP and delivering in an NHS hospital or at home. Excludes mothers with unknown BMI.
	54	Weight: Mothers Delivering with BMI 30+ at Booking (Obese or Morbidly Obese) (2009 - 2011) expressed as a Percent of Mothers. SOURCE: Protos. Mothers delivering in the period who had a BMI of 30+ at booking expressed as a percentage of all mothers delivering in the period. Includes Sheffield resident mothers registered with a Sheffield GP and delivering in an NHS hospital or at home. Excludes mothers with unknown BMI.
	55	Weight: Children who are Obese - Year R (age 4/5) (2008/09 - 2010/11) expressed as a % of children in school year (3 yr pooled). SOURCE: National Child Measurement Programme. % of children who are obese (excluding overweight). Excludes children attending special schools. Data may be suppressed for some areas due to small numbers. 3 year pooled data.
	56	Weight: Children who are Obese - Year 6 (age 10/11) (2008/09 - 2010/11) expressed as a % of children in school year. SOURCE: National Child Measurement Programme. % of children who are obese (excluding overweight). Excludes children attending special schools. Data may be suppressed for some areas due to small numbers.
	57	Weight: Children who are Overweight or Obese - Year R (age 4/5) (2008/09 - 2010/11) expressed as a % of children in school year. SOURCE: National Child Measurement Programme. % of children who are overweight or obese. Excludes children attending special schools. Data may be suppressed for some areas due to small numbers. 3 year pooled data.
	58	Weight: Children who are Overweight or Obese - Year 6 (age 10/11) (2008/09 - 2010/11) expressed as a % of children in school year. SOURCE: National Child Measurement Programme. % of children who are overweight or obese. Excludes children attending special schools. Data may be suppressed for some areas due to small numbers.
	59	Diet: Adult Fruit & Vegetable Consumption: More than 5 a day (Age 18+) (April 2011) expressed as a % Adults. SOURCE: MOSAIC data proportioned based on household type using PHR Apr 2011 18+ population. Modelled data; adults eating more than 5 portions of fruit and vegetables per day.
	60	Physical Activity: % Adults exercising 5 times per week (Age 18+) (April 2011) expressed as a % Adults. SOURCE: Sport Industry Research Centre, Sport England Market Segmentation 2010 Survey. Proportioned using PHR Apr 2011 18+ population. Modelled data; adults playing sport or doing physical activity at least 5 times a week.
Children & Young People	61	Live Births (2011) expressed as a Rate per 1,000 Population. SOURCE: Public Health Births, Population Health Register. Expressed as the number of live births per 1,000 population. Includes births to Sheffield resident mothers wherever they occur.
	62	Low Birth Weight Live Births (<2500g) (2009 - 2011) expressed as a Percent of Live Births. SOURCE: Public Health Births. Expressed as a percentage. Includes births to Sheffield resident mothers wherever they occur. Births of unknown weight are excluded.
	63	Teenage Conceptions (Age <18) (2007 - 2011) expressed as a Rate per 1,000 Females aged 15-17. SOURCE: Inpatient CMDS, Protos, Population Health Register. Conceptions occurring during the time period based on delivery, abortion and miscarriage data. Abortions are assumed to take place 12 weeks after conception. Deliveries are assumed to take place at 38 weeks gestation.
	64	Average Age of Mother at First Registerable Birth (2007 - 2011) expressed as a average age (years). SOURCE: Protos. Includes mothers registered with a Sheffield GP and delivering a baby at 23 weeks or more gestation at a STHT hospital or at home.
	65	Breastfeeding Prevalence at Delivery (2011/12) expressed as a Percent of Mothers. SOURCE: Protos. Includes mothers solely breastfeeding and those breastfeeding in conjunction with complements or artificial methods. Includes mothers registered with a Sheffield GP and delivering a baby at 23 weeks or more gestation at a STHT hospital or at home.
	66	Breastfeeding Prevalence at 6-8 weeks (2011/12) expressed as a Percent of Babies. SOURCE: Protos. Percentage of resident babies becoming 8 weeks old in the period who are known to have been receiving breastmilk at 6-8 weeks of age. Excludes babies who were not registered with Child Health by 12 weeks of age and those who have died. Babies with unknown feeding status at 6-8 weeks are included in the denominator.
	67	Emergency Admissions for Injuries (Age <18) (2009/10 - 2011/12) expressed as a Crude Rate per 10,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Emergency admissions (excluding transfers) caused by unintentional and deliberate injuries (Where the first external cause code recorded (ICD10: V01-Y98) is not between X33-X39 or X52 (forces of nature)). Episodes ending in the period.
	68	Emergency Admissions for Injuries (Age <5) (2009/10 - 2011/12) expressed as a Crude Rate per 10,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Emergency admissions (excluding transfers) caused by unintentional and deliberate injuries (Where the first external cause code recorded (ICD10: V01-Y98) is not between X33-X39 or X52 (forces of nature)). Episodes ending in the period.
	69	Emergency Admissions for Injuries (Age 5-17) (2009/10 - 2011/12) expressed as a Crude Rate per 10,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Emergency admissions (excluding transfers) caused by unintentional and deliberate injuries (Where the first external cause code recorded (ICD10: V01-Y98) is not between X33-X39 or X52 (forces of nature)). Episodes ending in the period.

Metadata and Supporting Information (continued)

Domain	Profile Indicator Reference	Metadata
Disease Groups	70	Cancer: Admissions (All Ages) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Admissions with cancer recorded as the primary diagnosis (ICD10:C00-C99). Includes admissions to external hospitals.
	71	Cancer: Mortality (Age <75) (2007 - 2011) expressed as a DASR per 100,000. SOURCE: PH Mortality, Public Health Births, Population Health Register. Deaths with cancer recorded as the underlying cause (ICD10:C00-C99). Based on year of death registration.
	72	Chronic Diseases: Elective Admissions (All Ages) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Elective (planned) Admissions with respiratory disease, coronary heart disease or diabetes recorded as the primary diagnosis (ICD10:J00-J99, I20-I25 or E10-E14). Includes admissions to external hospitals.
	73	Chronic Diseases: Emergency Admissions (All Ages) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Emergency Admissions (excluding transfers) with respiratory disease, coronary heart disease or diabetes recorded as the primary diagnosis (ICD10:J00-J99, I20-I25 or E10-E14). Includes admissions to external hospitals.
	74	Circulatory Diseases: Admissions (All Ages) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Admissions with Circulatory disease recorded as the underlying cause (ICD10:I00-I99). Includes admissions to external hospitals.
	75	Circulatory Diseases: Mortality (Age <75) (2007 - 2011) expressed as a DASR per 100,000. SOURCE: PH Mortality, Public Health Births, Population Health Register. Deaths with circulatory disease recorded as the underlying cause (ICD10:I00-I99). Based on year of death registration.
	76	CHD: Elective Admissions (All Ages) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. CHD = Coronary Heart Disease. Elective (planned) Admissions with coronary heart disease recorded as the primary diagnosis (ICD10:I20-I25). Includes admissions to external hospitals.
	77	CHD: Emergency Admissions (All Ages) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. CHD = Coronary Heart Disease. Emergency Admissions (excluding transfers) with coronary heart disease recorded as the primary diagnosis (ICD10:I20-I25). Includes admissions to external hospitals.
	78	CHD: Mortality (Age <75) (2007 - 2011) expressed as a DASR per 100,000. SOURCE: PH Mortality, Public Health Births, Population Health Register. CHD = Coronary Heart Disease. Deaths with coronary heart disease recorded as the underlying cause (ICD10:I20-I25). Based on year of death registration.
	79	Stroke: Admissions (All Ages) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Admissions with cerebrovascular disease (excluding transient ischaemic attack) recorded as the primary diagnosis (ICD10:I60-I69). Includes admissions to external hospitals.
	80	Stroke: Mortality (Age <75) (2007 - 2011) expressed as a DASR per 100,000. SOURCE: PH Mortality, Public Health Births, Population Health Register. Deaths with cerebrovascular disease (excluding transient ischaemic attack) recorded as the underlying cause (ICD10:I60-I69). Based on year of death registration.
	81	Diabetes: Admissions (All Ages) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Admissions with diabetes recorded as the primary diagnosis (ICD10:E10-E14). Includes admissions to external hospitals.
	82	Hip Fractures: Emergency Admissions (Age 65+) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Emergency admissions (excluding transfers) with a primary diagnosis of hip fracture (ICD10: S72.0, S72.1 and S72.2). Includes admissions to external hospitals.
	83	Respiratory: All Diseases Mortality (Age <75) (2007 - 2011) expressed as a DASR per 100,000. SOURCE: PH Mortality, Public Health Births, Population Health Register. Deaths with respiratory disease recorded as the underlying cause (ICD10:J00-J99). Based on year of death registration.
	84	Respiratory: Asthma Admissions (All Ages) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Admissions with asthma recorded as the primary diagnosis (ICD10:J45-J46). Includes admissions to external hospitals.
	85	Respiratory: COPD Admissions (excl asthma; All Ages) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. COPD = Chronic obstructive pulmonary disease. Admissions with COPD (excluding asthma) recorded as the primary diagnosis (ICD10:J40-J44, J47). Includes admissions to external hospitals.
86	Respiratory: COPD Mortality (excl asthma; Age <75) (2007 - 2011) expressed as a DASR per 100,000. SOURCE: PH Mortality, Public Health Births, Population Health Register. COPD = Chronic obstructive pulmonary disease. Deaths with COPD Respiratory disease recorded as the underlying cause (ICD10:J40-J44). Based on year of death registration.	
Mental Health	87	Mental Health: Prevalence Estimates: Any Common Mental Disorder (Age 16+) (2011) expressed as a % of adults aged 16+. SOURCE: Adult Psychiatric Morbidity Survey (APMS) in England 2007, Population Health Register April 2011, Council Benefits dataset August 2010, NPMS Index. Based on APMS 2007, p40, table 2.3 using NPMSDep Index deprivation weighting in line with IAPT Workforce Capacity Tool, March 2008 methodology. Includes diagnosed and undiagnosed. Confidence intervals do not take into account levels of uncertainty associated with assumptions made in the modelled estimate methodology.
	89	Mental Health: Prevalence Estimates: Generalised Anxiety Disorder (Age 16+) (2011) expressed as a % of adults aged 16+. SOURCE: Adult Psychiatric Morbidity Survey (APMS) in England 2007, Population Health Register April 2011, Council Benefits dataset August 2010, NPMS Index. Based on APMS 2007, p40, table 2.3 using NPMSDep Index deprivation weighting in line with IAPT Workforce Capacity Tool, March 2008 methodology. Includes diagnosed and undiagnosed. Confidence intervals do not take into account levels of uncertainty associated with assumptions made in the modelled estimate methodology.
	90	Mental Health: Prevalence Estimates: Depressive Episode (Age 16+) (2011) expressed as a % of adults aged 16+. SOURCE: Adult Psychiatric Morbidity Survey (APMS) in England 2007, Population Health Register April 2011, Council Benefits dataset August 2010, NPMS Index. Based on APMS 2007, p40, table 2.3 using NPMSDep Index deprivation weighting in line with IAPT Workforce Capacity Tool, March 2008 methodology. Includes diagnosed and undiagnosed. Confidence intervals do not take into account levels of uncertainty associated with assumptions made in the modelled estimate methodology.
	91	Mental Health: Prevalence of Psychotic Disorder in Adults (Age 16+) (2011) expressed as a % of adults aged 16+. SOURCE: Adult Psychiatric Morbidity Survey (APMS) in England 2007, Population Health Register April 2011, Council Benefits dataset August 2010, MINI2000 Index. Prevalence of Psychotic Disorder (in the last year). Based on APMS 2007, p99, table 5.1 using MINI2000 deprivation adjustment. Includes diagnosed and undiagnosed. Confidence intervals do not take into account levels of uncertainty associated with assumptions made in the modelled estimate methodology.
	92	Mental Health: Prevalence of Antisocial Personality Disorder in Adults (Age 18+) (2011) expressed as a % of adults aged 18+. SOURCE: Adult Psychiatric Morbidity Survey (APMS) in England 2007, Population Health Register April 2011, Council Benefits dataset August 2010, MINI2000 Index. Prevalence of Antisocial Personality Disorder (ASPD). Based on APMS 2007, p116, table 6.1 using MINI2000 deprivation adjustment. Includes diagnosed and undiagnosed. Confidence intervals do not take into account levels of uncertainty associated with assumptions made in the modelled estimate methodology.
	93	Mental Health: Prevalence of Borderline Personality Disorder in Adults (Age 16+) (2011) expressed as a % of adults aged 16+. SOURCE: Adult Psychiatric Morbidity Survey (APMS) in England 2007, Population Health Register April 2011, Council Benefits dataset August 2010, MINI2000 Index. Prevalence of Antisocial Personality Disorder (ASPD). Based on APMS 2007, p116, table 6.1 using MINI2000 deprivation adjustment. Includes diagnosed and undiagnosed. Confidence intervals do not take into account levels of uncertainty associated with assumptions made in the modelled estimate methodology.
	94	Mental Health: Referrals to Mental Health Specialities (Age 16-64) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Referral & Outpatient datasets, Public Health Births, Population Health Register. Referrals to Sheffield providers sourced from referrals dataset (includes referrals which do not result in any contact with the service). Referrals to external providers sourced from outpatient datasets (using first patient attendances as proxy measure and therefore excludes referrals which do not result in any contact with the service)
	95	Mental Health: Referrals to Mental Health Specialities (Age 65+) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Referral & Outpatient datasets, Public Health Births, Population Health Register. Referrals to Sheffield providers sourced from referrals dataset (includes referrals which do not result in any contact with the service). Referrals to external providers sourced from outpatient datasets (using first patient attendances as proxy measure and therefore excludes referrals which do not result in any contact with the service)
	96	Mental Health: Admissions to Mental Health Specialities (Age 16+) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Admissions to mental health specialities (specialty codes 710-724). Includes admissions to external hospitals.
	97	Mental Health: Admissions to Mental Health Specialities (Age 16-64) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Admissions to mental health specialities (specialty codes 710-724). Includes admissions to external hospitals.
	98	Mental Health: Admissions to Mental Health Specialities (Age 65+) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Admissions to mental health specialities (specialty codes 710-724). Includes admissions to external hospitals.
	99	Dementia Admissions (Age 65+) (2007/08 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Admissions with primary diagnosis of dementia (ICD10: F00-F03). Includes admissions to external hospitals.
	100	Intentional Self Harm: Emergency Admissions (All Ages) (2009/10 - 2011/12) expressed as a DASR per 100,000. SOURCE: Inpatient CMDS, Public Health Births, Population Health Register. Emergency admissions (excluding transfers) where the first External Cause of Morbidity and Mortality diagnosis (Y01 - Y98) is between X60 - X84 (Intentional Self Harm). Includes admissions to external hospitals.